

**Eastman(TM) C-A-P Cellulose Ester NF  
(Powder)**

Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2016
2.1	09/20/2021	150000012683	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

**SECTION 1. IDENTIFICATION**

Product name : Eastman(TM) C-A-P Cellulose Ester NF (Powder)

Product code : 15792-00, P1579202, P1579203, E1579201, P157922S,  
P1579204

**Manufacturer or supplier's details**

Company name of supplier : Eastman Chemical Company

Address : 200 South Wilcox Drive  
Kingsport TN 37660-5280

Telephone : (423) 229-2000

Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

**Recommended use of the chemical and restrictions on use**

Recommended use : Polymer

Restrictions on use : None known.

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Combustible dust

**GHS label elements**

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Precautionary Statements : **Prevention:**  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
No smoking.  
P243 Take action to prevent static discharges.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**Eastman(TM) C-A-P Cellulose Ester NF  
(Powder)**

Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2016
2.1	09/20/2021	150000012683	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Components**

No hazardous ingredients

**SECTION 4. FIRST AID MEASURES**

If inhaled	:	Remove to fresh air. Treat symptomatically. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water. If symptoms persist, call a physician.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If swallowed	:	Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	None known.
Notes to physician	:	Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Hazardous combustion products	:	No hazardous combustion products are known
Further information	:	Minimize dust generation and accumulation.
Special protective equipment for fire-fighters	:	Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protection	:	Wear appropriate personal protective equipment.
----------------------------------	---	---

## Eastman(TM) C-A-P Cellulose Ester NF (Powder)

Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2016
2.1	09/20/2021	150000012683	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

tive equipment and emergency procedures : Local authorities should be advised if significant spillages cannot be contained.

Environmental precautions : Avoid release to the environment.

Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Minimize dust generation and accumulation.

Advice on safe handling : Wash thoroughly after handling.  
Use only in area provided with appropriate exhaust ventilation.  
Minimize dust generation and accumulation.

Conditions for safe storage : Keep container tightly closed.  
Store at temperatures not exceeding 30°C .

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Wear respiratory protection when its use is identified for certain contributing scenario.

Hand protection

Remarks : Wear suitable gloves.

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing.

Protective measures : Ensure that eye flushing systems and safety showers are located close to the working place.

**Eastman(TM) C-A-P Cellulose Ester NF  
(Powder)**

Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2016
2.1	09/20/2021	150000012683	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Color : white

Odor : odorless

Odor Threshold : not determined

pH : not determined

Melting point/range : not determined

Boiling point/boiling range : not determined

Flash point : not applicable, combustible solid

Evaporation rate : not determined

Upper explosion limit / Upper flammability limit : not determined

Lower explosion limit / Lower flammability limit : not determined

Vapor pressure : not determined

Relative vapor density : not determined

Relative density : > 1  
(estimated)

Solubility(ies)  
Water solubility : negligible

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : 781 °F / 416 °C  
Method: ASTM E659

Decomposition temperature : Thermal stability not tested. Low stability hazard expected at normal operating temperatures.

---

**Eastman(TM) C-A-P Cellulose Ester NF  
(Powder)**

Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2016
2.1	09/20/2021	150000012683	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

Viscosity  
Viscosity, dynamic : not determined  
Viscosity, kinematic : not determined  
Explosive properties : No data available  
Oxidizing properties : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Stable  
Conditions to avoid : Avoid dust formation.  
Incompatible materials : Strong oxidizing agents  
Hazardous decomposition products : Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Remarks: No data available  
Acute inhalation toxicity : Remarks: No data available  
Acute dermal toxicity : Remarks: No data available

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Remarks : No data available

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks : No data available

**Eastman(TM) C-A-P Cellulose Ester NF  
(Powder)**

Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2016
2.1	09/20/2021	150000012683	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Product:**

Remarks : No data available

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Product:**

Remarks : This information is not available.

**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**Product:**

Effects on fertility : Remarks: No data available

**STOT-single exposure**

Not classified based on available information.

**Product:**

Remarks : No data available

**STOT-repeated exposure**

Not classified based on available information.

**Product:**

Remarks : No data available

**Aspiration toxicity**

Not classified based on available information.

**Eastman(TM) C-A-P Cellulose Ester NF  
(Powder)**

Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2016
2.1	09/20/2021	150000012683	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

**Product:**

No data available

**Routes of exposure****Product:**

Inhalation : Remarks: None known.

Skin contact : Remarks: None known.

Eye contact : Remarks: None known.

Ingestion : Remarks: None known.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation**

**Eastman(TM) C-A-P Cellulose Ester NF  
(Powder)**

Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2016
2.1	09/20/2021	150000012683	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

**49 CFR**

Not regulated as a dangerous good

**Special precautions for user**Not applicable

---

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Combustible dust**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.**California Prop. 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**The ingredients of this product are reported in the following inventories:**

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.



## Eastman(TM) C-A-P Cellulose Ester NF (Powder)


Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2016
2.1	09/20/2021	150000012683	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

No substances are subject to TSCA 12(b) export notification requirements.

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

HEALTH	/	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

**Eastman(TM) C-A-P Cellulose Ester NF  
(Powder)**

Version	Revision Date:	SDS Number:	Date of last issue: 09/06/2016
2.1	09/20/2021	150000012683	Date of first issue: 09/06/2016
PRD		SDSUS / Z8 / 0001	

---

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/20/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8